

相容剂

Compatibilizer

相容剂KT-1C为马来酸酐接枝的PP共聚物；可用作玻纤和矿物填充聚丙烯的界面改性剂。添加量3%~10%时，即可改善聚丙烯的涂覆性和喷漆性能。

Compatibilizer KT-1C is a maleic anhydride grafted PP copolymer ,it can be used as an interface modifier for glass fiber and mineral filled polypropylene. When the addition amount is 3% to 10%, the coating property and the paint performance of the polypropylene can be improved.


技术指标

Specification

牌号	熔指（190℃,2.16kg g/10min）	接枝率(%)	比重(g/cm³)	基材	外观
KT-1C	≥80	中	0.90~0.92	PP	白色颗粒

性能对比

The performance comparison



建议用量

Dosage

3%~5%, 玻纤增强PP。
3%~5%, glass fiber reinforced PP.

包装及储运

Packing, storage and transportation

25Kg牛皮纸袋内衬塑料袋装，按非危险品，在干燥条件下储运，避日光、雨淋。
Packed in 25Kg kraft paper bag lined with plastic bag, in accordance with non-dangerous goods, store and transport in dry condition, avoid sunlight and rain.